




Tekiò Vertical is a sculptural solution for spaces with varying heights, bathing them in a uniform light. Configurable from one to four modules, it highlights any corner, and its adaptable light source allows you to create the perfect atmosphere for any occasion.

General description:

Washi Japanese paper shade.

Metal structure.

Structure length:

(A) 67 cm / 26.4"

(B) 120 cm / 47.2"

(C) 173 cm / 68.1"

(D) 226 cm / 89"

White grey metallic circular ceiling plate with power supply incorporated.

Electric cable length: 5 m / 196.8"

Approximate weight (unpacked):

(A) Tekiò Vertical P1: 3 kg / 6.6 lb

(B) Tekiò Vertical P2: 4,5 kg / 9.9 lb

(C) Tekiò Vertical P3: 6 kg / 13.2 lb

(D) Tekiò Vertical P4: 7,5 kg / 16.5 lb

Tekiò Vertical

Anthony Dickens. 2017
Pendant lamps

Technical information:

Dimmable light source included
LED Module

(A)

Rated input wattage: 25 W
Luminous flux: 1.063 lm

(B)

Rated input wattage: 45 W
Luminous flux: 1.861 lm

(C)

Rated input wattage: 65 W
Luminous flux: 2.656 lm

(D)

Rated input wattage: 89 W
Luminous flux: 3.457 lm

(A, B, C, D)

Operating voltage: 24VDC
CCT: 2.200 K - 2.500 K
CRI: 90
Lifetime: 40.000 h

European version: suitable for dimming 1-10V / DALI / CASAMBI.

Not included external dimmer switch.

American version: suitable for dimming 0-10V. Not included external dimmer switch 0-10V.

Dim to Warm control 2200 K- 2500 K

Suitable only for indoor use.

Always use this light source.

Input voltage: 100 ~ 277 Vac.

(50 Hz / 60 Hz). According to destination.

Regulations:

European version

UNE-EN 60598

UNE-EN 55015

UNE-EN 60529

American version

Dry location only

UL-1598

UL-8750

E-336377


Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

Others:

The lamp is delivered in different packages.


The assembly instructions are delivered with the product.



Models / Codes: European Version




Tekiò Vertical P1




Code	Dimming
TKVPA01	1-10 V
TKVPA01D	DALI
TKVPA01C	CASAMBI

Tekiò Vertical P2




Code	Dimming
TKVPB01	1-10 V
TKVPB01D	DALI
TKVPB01C	CASAMBI

Tekiò Vertical P3



Code	Dimming
TKVPC01	1-10 V
TKVPC01D	DALI
TKVPC01C	CASAMBI

Tekiò Vertical P4




Code	Dimming
TKVPD01	1-10 V
TKVPD01D	DALI
TKVPD01C	CASAMBI

Models / Codes: American Version




Tekiò Vertical P1




Code	Dimming
TKVPA01UL	0-10 V

Tekiò Vertical P2




Code	Dimming
TKVPB01UL	0-10 V

Tekiò Vertical P3



Code	Dimming
TKVPC01UL	0-10 V

Tekiò Vertical P4



Code	Dimming
TKVPD01UL	0-10 V

Collection:
Pendant lamps



Tekiò Vertical



Tekiò Horizontal



Tekiò Circular